

Technical blinds



apostolidaniele

Sunlight has always been protagonist in human life: in time and space measurement, in field cultivation, in architecture, in the natural lighting of homes, worship places and work. The human being, since ancient times, learned about the sunlight, designing increasingly innovative systems and aesthetically fascinating to manage better its great power and to enhance its truly unique qualities. Observing the Roman Forum, entirely covered by an impressive and wonderful tent, Pliny wrote of “a more amazing show than the games themselves”, he was on to assist. A real art, in short, that of sunlight shading, that kind of solid and surprising art that belongs to the artisan gifted of talent and creativity. Proudly holding a baton passed from hands in hand for millennia, since 1959 Apostoli deals with this: bringing the right

amount of sunlight and heat in places where every day we live and work. Apostoli Daniele offers to the customers a wide selection of finishing products for private, public and industrial sectors. Born with the production of Venetian blinds today offers a wide choice of curtains and coordinated for home, technical blinds, awnings, industrial closures and sectional doors for residential use.

/In Montirone plant, we develop manufacturing processes following rigorous standards that allow to obtain results of the highest quality modulated on customer requests, who receive custom made products, with a high technological content and checked with the utmost precision.

index/

Indoor


Basic 12 /
Basic block 14 /
Relax 16 /
Inox Block 18 /
Soft Block 20 /
Cube Block 22 /
Square 24 /
Woodroll 26 /
Nano 28 /
Venetian blinds 30 /
Plus venetian blinds 32 /
Wood venetian blinds 34 /
Plissé 36 /
Duette 38 /
Roman Shade 40 /
Vertical blinds 42 /
Panel track 44 /
Panel track inox 46

Outdoor

Dark Zip 50 /
Roller Box 52 /
Roller 54 /
AD80 56 /
AD90 58 /
Orizzonte Plus 60 /



Engineering & Service/ Technical Blinds



We offer the possibility to differentiate each product by giving the design that each customer wants. We customize the curtain applying directly on the fabric a logo, a graphic made ad hoc, or one photograph. In this way, it is possible to coordinate the perfect graphics for any context, proportioning the print in relation to the size of the curtain and its colours.

/Our production potential allows elevating the product with a supply 360 ° custom-made.

design/

engineering/

Thanks to the **contract** division, we put the multi-year experience of Apostoli Daniele at the service of designers and architects, supporting them in the choice of technical solutions and materials to realise the most suitable shading for each context. The internal technical department is always ready to study tailor-made projects, to realize solutions that guarantee a precise light control.

/Our materials are always of high quality, with sound-absorbing and heat-insulating features, with certified flame retardant properties. Solar protections can be made for both outdoor and interiors: awnings, pergolas, sails, sunshades, roller blinds, Venetian blinds, panel curtains and pleated systems.

service/

We study with specific precision-programmed maintenance contracts, taking care of the customization in function of the product in question and of the customer needs. The periodic maintenance interventions are required by law in the industrial area, and highly recommended for any product as a preventive action because they are aimed at the reduction of possible damages related to wear.

/The convenience of the scheduled maintenance offers discounted rates in contractual phase, as well as guaranteeing priority intervention for an even faster service. Practicality linked to the Apostoli maintenance interventions relieves the customer of worry of the organization of the interventions themselves, letting it be responsibility of the company to schedule them according to program.




**Quality
security and
assistance/**

Each item is made after a careful selection among the best materials following rigid production standards.

/We offer assistance for repairs, spare parts and replacements of each offered product to improve the performance over time of each article.

Indoor/



Light and its diffusion are fundamental elements in the planning of interiors furniture for your home or for your office. Sun protection, comfort and need for custom lighting: the technical blinds answer all of these needs with a variety of products modulated to adapt to different architectural and furnishing styles.

/Our technical blinds for indoor use are able to respond to different markets requests: with our internal production we can avail ourselves of an advantageous quality-price, ideal also for contracts solutions that require fast and continuous delivery over time, but we can also propose innovative and exclusive products able to combine wisely the technical effectiveness and the aesthetic elegance.

Our indoor selection/

roller/



venetian/



pleated/



duette/



roman/



vertical/



panel/



Basic

The Basic roller blind boasts the best quality-price value without having to renounce to high performance. The design is essential and suitable for any context. Available with white, grey, black finish, made with different blackout or filtering fabrics, customizable with digital printing. Some fabrics are ultrasonic washable for a specific and effective cleaning.

specifications/

Light

Vertical management

Design

essential

Lateral caps

plastic

Roll

free

Bottom

in aluminium in view
or hidden in the fabric


Operation

- manual with chain
- with spring

mechanic finishing/



Available with colour finish white, grey, black. Packaged with different blackout or filtering fabrics. Customizable with digital printing. Non-standard colours on request.





specifications/

Light

vertical management

Design

essential

Lateral caps

plastic

Roll

free

Ogive

for the assisted
cloth reinsertion

Format

big dimensions

Bottom

in view or hidden
in the fabric

Operation

- manual with chain
- motor
- crank

Optional

- with compensation
spring only with chain
- head box

**Easy maintenance
system**

dismantling/reassembly

mechanic finishing/



Available with colour finish white,
grey, black. Packaged with different
blackout or filtering fabrics.
Customizable with digital printing.
Non-standard colours on request.

Basic Block

The Basic Block roller blind offers a practical solution in terms of use. It has been designed to simplify the maintenance thanks to the easy disassembly / reassembly system. The Basic Block roller blind is equipped with an ogive welded along the cloth that allows extraction or insertion inside the roller tube with extreme ease, making maintenance simple. Some fabrics are ultrasonic washable for a specific and effective cleaning.



Relax

Single / Double

The Relax roller blind stands out for its particular simplified mechanics. The operation by means of the chain allows the cloth positioning at the desired height, whereas at the end of the stroke, with a simple gesture of the command, it is possible to activate the automatic cloth wrapping thanks to an integrated spring system. Some fabrics are ultrasonic washable for a specific and effective cleaning.

specifications/

Light

Single: vertical anagement
Double: double vertical
management thought two
cloths

Design

sober and compact

Lateral caps

plastic

Roll

free with fixing profile

Bottom

in view or hidden
in the fabric

Operation

Single: manual with chain
Double: manual with chain

Automatic rising

of each cloth by means
of an integrated spring
system

Space saving

thanks to the rolls
positioning

mechanic finishing/



Available with colour finish white,
grey, black. Packaged with different
blackout or filtering fabrics.
Customizable with digital printing.





specifications/

Light
vertical management

Design
sophisticated and minimal

Terminali
steel

Roll
free

Bottom
in view or hidden
in the fabric

Operation
- manual with chain
- motor
- crank

Ogiva
for the assisted
cloth reinsertion

Optional
- with compensation spring
- only with chain
- head box

Format
big dimensions

Easy maintenance system
dismantling/reassembly

mechanic finishing/



Available with chromed or glazed finishing. Packaged with different blackout or filtering fabrics. Customizable with digital printing.

Inox Block

Thanks to an innovative system of easy disassembly / reassembly, Inox Block roller blind is one of the best proposals in this sector: in fact, it is equipped with an ogive welded along the fabric that allows the extraction or the insertion inside the tube with extreme ease, making maintenance simple. The roller blind Inox Block is equipped with sophisticated steel supports ideal for the most sophisticated environments. Some fabrics are ultrasonic washable for a specific and effective cleaning.





specifications/

Light
vertical management

Design
sophisticated and sinuous

Terminals
steel

Roll
free

Bottom
in view or hidden in the fabric

Operation
- manual with chain
- motor

Ogive
for the assisted
cloth reinsertion

Optional
with compensation spring
only with chain

Format
big dimensions

Easy maintenance system
dismantling/reassembly

mechanic finishing/



Available with chromed or glazed finishing. Packaged with different blackout or filtering fabrics. Customizable with digital printing.

Soft Block

The structure of the Soft Block roller blind differs by its attractive design. Made of steel and with a sinuous shape, every detail is taken care of down to the finest detail to be innovative for functionality and aesthetics. The Soft Block roller blind is equipped with an ogive welded along the fabric that allows the extraction or the insertion inside the wrapping tube with extreme ease, making maintenance easy. Some fabrics are ultrasonic washable for specific and effective cleaning.





specifications/

Light
vertical management

Design
linear and impactful

Terminals
steel

Roll
free

Bottom
in view or hidden
in the fabric

Operation
- manual with chain
- motor

Ogive
for the assisted
cloth reinsertion

Optional
with compensation spring
only with chain

Format
big dimensions

Easy maintenance system
dismantling/reassembly

mechanic finishing/



Available with chromed glazed or brushed finishing. Packaged with different blackout or filtering fabrics. Customizable with digital printing.

Cube Block

The Cube Block roller blind is different in the square design of the steel support. The design is taken care of down to the finest detail, to be innovative for functionality and aesthetics.

The Cube Block roller blind is equipped with an ogive welded along the fabric that allows the extraction or the insertion inside the wrapping tube with extreme ease, making maintenance simple. Some fabrics are ultrasonic washable for a specific and effective cleaning.





specifications/

Light
vertical management

Design
contemporary and refined

Terminals
steel

Roll
free

Bottom
in view or hidden
in the fabric

Operation
- manual with chain
- motor

Ogive
for the assisted
cloth reinsertion

Optional
with compensation spring
only with chain

Format
big dimensions

**Easy maintenance
system**
dismantling/reassembly

mechanic finishing/



Available with chromed glazed or brushed finishing. Packaged with different blackout or filtering fabrics. Customizable with digital printing.

Square

The Square roller blind proposes itself with a refined design and a strong decorative connotation, particularly suitable to exalt the care of the interior design. The Square roller blind is equipped with sophisticated steel supports available in glazed, chromed or brushed versions. Suitable for the most refined environments. Some fabrics are ultrasonic washable for a specific and effective cleaning.



Woodroll

Round / Square

With wood and steel finishing, Woodroll combines the practicality and compactness of the roller blind with the enveloping and natural aesthetics of the wood. The essences used for the Woodroll components are mahogany and linden, declined in three colours: taupe, brown and dark brown. The Woodroll system is available in square and round model. Some fabrics are ultrasonic washable for a specific and effective cleaning.

specifications/

Light
vertical anagement

Design
innovative

Terminals
steel and wood

Roll
free

Bottom
in view or hidden
in the fabric

Operation
- manual
- with motor

Dismantling system
easy

Ogive
for the assisted cloth
reinsertion

mechanic finishing/



Wood finish available in taupe, brown, dark brown.
Steel finish available in chromed, glazed or brushed.
Packaged with different darkening or filtering fabrics.
Customizable with digital printing.





Nano

specifications/

Light
vertical management

Design
discreet

Head box
steel with reduced
dimensions

Space
minimum, max.
Functionality

Operation
- manual
- movement rope
on demand

Installation
- application of the frame
to the glass with Velcro
- clips for the fixing to the
frame on demand

mechanic finishing/



White and aluminium

Nano roller blind is the first technical blind that can be applied to the window frame without having to drill the frame. This is possible through the application of a supporting frame by means of adhesive Velcro directly on the glass, inside of which one or two rollers slide. The small size makes the Nano roller blind a winning and practical solution. Some fabrics are ultrasonic washable for a specific and effective cleaning.



Venetian blinds

The line of venetian blinds was born from the request for a quality product but with a contained price, rapid in delivery and also in large quantities. The venetian blinds are essential in design and boast a wide range of colours. They are available with 25mm and 16mm aluminium slats. Ultrasonic washable for specific and effective cleaning.

specifications/

Light

Flexible light management by means of the vertical blind movement and the slats orientation

Design

essential

Slats

16 mm, 25 mm, 35 mm and 50 mm aluminium slats

Operation

manual cord/rope

Quality-price ratio

competitive

mechanic finishing/

Slats matching colours





Venetian blinds Plus

Venetian blinds Plus are characterised by high quality and flexible, precise operation. Venetian blinds Plus are sophisticated in design and boast a wide range of colours. They are available with cord/rope control or with a single-command with chain or in electric version. Ultrasonic washable for specific and effective cleaning.

specifications/

Light

Flexible light management by means of the vertical blind movement and the slats orientation.

Design

detailed and refined

Realisation

with special shapes

Slats

16 mm, 25 mm, 35 mm and 50 mm aluminium slats

Up to 6 mt square

with 16 and 25 mm slats

Operation/

Duoflex

Alternating slats orientation of the upper half or the lower one. Available with cord/rope or motorised control. Available with 25 mm slats

Variozone™:

Orientation of the slats in bands according to predefined zones. Available manual chain drive. Available with 25mm slats.

Top Down

Wrapping upwards and downwards. Available manual with double friction handle, guided only. Available with slats of 16mm and 25mm.

Grip

Aesthetical elegance because there are no visible commands. Available manual operation with handle. Available with 16 mm and 25 mm slats.

Mono-command

Orientation and wrapping controlled by a single command. Manual operation available with chain, crank, motor. Available with 16mm, 25mm slats.

Cord/rope

Manual operation through lifting cord and orientation rope.

mechanic finishing/

Slats matching colours



Wood Venetians blinds

Wood venetian blinds are the ideal product for those who want to add warmth and comfort to the environment. The care of the finishing and the research of the raw materials confer aesthetic value and firmness to a product with a timeless design.

specifications/

Light

Flexible light management by means of the vertical blind movement and the slats orientation

Design

warm and refined

Slats

50 mm wood slats

Operation

- manual with cord or crank
- motor

mechanic finishing/

Slats matching colours



Pleated blinds

specifications/

Light

Vertical management

Design

flexible

Pleating

20 and 32 mm

Operations

- manual with cord, handle, chain
- motor

Combi Shade

to join two blinds using a single system

Realisation

with special shapes

mechanic finishing/

Fabric matching colours

Pleated blinds are available in 20 and 32 mm pitches in a wide range of fabrics, both filtering and darkening, with exclusive colours and textures. All fabrics are ultrasonic washable for a specific and effective cleaning. Pleated blinds are known for the wide range of available drives, including the Combi shade variant, which takes advantage from the reduced wrapping to combine two different types of fabric in a single system. The flexibility of these blinds allows numerous shapes making them the ideal solution for attics and skylights





Duette blinds

Duette blind is characterised by its aesthetic elegance and by the combination of two cloths that hide the passage of the cords. Available with 25mm, 32mm or 64mm pitch and it can be made with a wide range of filtering or darkening fabrics in exclusive colours and textures. All fabrics are ultrasonic washable for specific and effective cleaning.

specifications/Duette

Light Vertical management	Design compact	Pleating 25 mm, 32 mm and 64 mm with honeycomb section	
Operation - manual with cord, handle, crank, chain - motor		Combi Shade to join two blinds using a single system	Realisation with special shapes

specifications/Duette Architella

Light Vertical management	Realisation with special shapes	Pleating 32 mm and 64 mm with double honeycomb section	
Realisation - with special shapes		Combi Shade to join two blinds using a single system	Capacity thermal and acoustic insulation

mechanic finishing/

Fabric matching colours



Roman Shade

Single / Double

The new system for roman blinds makes easier and more fluid the blinds usage thanks to its unique mechanics with a slow, silent and balanced movement that makes the use easier. The Roman Shade Single system is designed for just one fabric, whereas the Roman Shade Double system allows the use of both blackout and filtering fabrics with a single track. The possibility of choosing between the two systems, Roman Shade and Roman Shade Double, provides the customer with the correct type to suit the context requirements.

specifications/

Light
vertical management

Design
discreet

Sistema
for roman shade blind

Operation
manual with chain

Innovative system
with slow, silent and balanced movement

mechanic finishing/



White





Vertical blinds

specifications/

Light

Flexible light management by means of the slats orientation and the lateral wrapping

Design

formal

Fabric stripes

89 mm and 127 mm

Operation

- manual cor
- chain - motor

Vertical blinds allow flexible light management by means of manual or motorised operation. 89 mm or 127 mm vertical bands complete a blind with a formal design. Some fabrics are ultrasonic washable for a specific and effective cleaning.

mechanic finishing/



White and aluminium



Panel Track

Panel Track panel blinds allow the maximum expression in creativity through the choice of colours and fabrics. Available with manual pull track up to five ways, they cover large windows with extreme formal cleanliness and elegance. The bottom is hidden in the fabric to guarantee better practicality in maintenance. Some fabrics are ultrasonic washable for specific and effective cleaning.

specifications/

Light
lateral wrapping

Design
minimal

Rail
five ways

Panels
66 cm

Bottom
hidden into fabric

Operation
manual pull track

mechanic finishing/



White and aluminium





Panel Track Inox

specifications/

Light
laterale wrapping

Design
charming

Rail
five ways

Panels
66 cm

Bottom
in view

Operation
manual pull track

Panel Track Inox blinds give the room character and elegance thanks to a sophisticated steel finish with an attractive design. The visible bottom adds uniqueness to a highly decorative product. Available with manual track up to five ways. Some fabrics are ultrasonic washable for specific and effective cleaning.


mechanic finishing/



Chromed, glazed, brushed



Outdoor/



Controlling the sunrays in form of light and heat is fundamental in living-comfort planning and in energy saving. For this reason, Apostoli Daniele offers a selected range of solar protection systems that, in the respect of existing geometries, blend with the architecture to enhance aesthetics and comfort.

/The continuous research and the care of the production chain has allowed the company to identify itself as a point of reference in the sector, guaranteeing top quality products and assistance over time.

Our outdoor selection/

awning/



venetian
packing-up
blinds/



Dark Zip

Dark Zip roller blinds are the perfect solution for terraces, porches or windows closing. They are particularly suitable for total internal or external blackout thanks to their head box and the C-shaped side guides with zip. Dark Zip technical outdoor blinds are made of high-quality blackout or filtering materials, and they can also be customised by painting the structure out of standard.

specifications/

Light
vertical management

Possibility of
total internal and external darkening

Closure
terraces, windows and pergolas

Bottom
in view

Operation
manual with crank or motor

mechanic finishing/



Colours out of standard on demand





Roller Box

The Roller Box vertical drop awning is characterised by a clean and refined design thanks to the head box that collects and covers the roller. Extremely versatile, it can be used for simple sun protection, as well as for total blackout or even for the protection from atmospheric agents through the packaging of crystal.

specifications/

Light

verticale management

Bottom

in view

Operation

with crank or motor

Optional

available zip version for total darkening

Visibility

available with crystal fabric to protect from atmospheric agents without obstructing visibility

Closure

terraces, windows and facade

Lateral rails

- c-shape guides
- 4 mm steel cable
- 10 mm steel bar

mechanic finishing/



White, ivory, grey, brown
Colours out of standard on demand



Roller

The Roller vertical drop awning stands out for its minimalist and clean image thanks to the highly contemporary design of the support plates. It acquires a strong decorative connotation as a facade element, enhanced by the possibility of guiding it laterally with a 4 mm steel cable or with a 10 mm steel bar.

specifications/

Light
vertical management

Closure
terraces, windows and facade

Bottom
in view


Lateral rails
- 4 mm steel cable
- 10 mm steel bar

Operation
with crank or motor

mechanic finishing/



White, ivory, grey, brown
Colours out of standard on demand





AD80

AD80 packing-up venetian blinds are suitable for both contemporary and traditional styles thanks to the technical and soft image given by the rounded blades. They are the ideal solution for large openings, allowing the fully use of luminosity; in fact the 80mm blades can be adjusted in any position with a 180° movement. If it is not possible to provide a recessed installation, among the optional a matching rib can be fitted in order to conceal the blade package when it is raised.

specifications/

Light

flexible light management thanks to the vertical blind movement and the slats orientation

Orientation

in any position with a movement up to 180°

Blades

80 mm

Operation

crank or motor

mechanic finishing/



AD90

AD90 packing-up venetian blinds are the ideal product for a technical and high-impact image, perfect for large openings as well. They are made with 90 mm blades, structured to offer both 90% darkening and maximum brightness. If recessed installation is not possible, as an extra optional, it is possible to fit a matching rib to conceal the blade package when raised.

specifications/

Light
flexible light management thanks to the vertical blind movement and the slats orientation


Blades
90 mm

Darkening
90%

Orientation
in any position with a movement up to 90°

Operation
crank or motor

mechanic finishing/





Orizzonte Plus

Orizzonte Plus packing-up venetian blinds differ thanks to the particular activation that deals with the side guides, in this way lifting and guiding ropes are eliminated. The result is a wide, clean view, marked exclusively by the blades. The structure of Orizzonte Plus is made exclusively with steel and aluminium components, with chain drive mechanics. The blind consists of: anodised aluminium guides with anti-noise rubbers equipped with chain drive; automatic friction system to prevent damage due to contact with objects; blades equipped with anti-noise rubber; stainless steel head box. The adjustable rubber of the last closing blade on the floor or on the platform completes the uniqueness of the product, for a precise and effective result. If recessed installation is not possible, as an extra optional, it is possible to fit a matching rib to conceal the blade package when raised.

specifications/

Light

flexible light management thanks to the vertical blind movement and the slats orientation

Meccanica

di trazione a catena

Blades

- 96,7 mm in extruded aluminium with a thickness of 1,3 mm
- With anti-noise rubber
- Blade hook invisible from the outside
- Orientation in any position

Terylene

no terylene between blades

Wind resistance
up to 140 km/h

Mechanics

crank or motor

Anti-noise guides


anodised aluminium complete with chain drive

Automatic friction system
to prevent damages due to contact with objects


mechanic finishing/

9010 RAL	1013 RAL	7035 RAL	9006 RAL
9007 RAL	7016 RAL	8017 RAL	6005 RAL





Follow
apostoli.it



apostolidaniele

Sede legale/

Viale Duca degli Abruzzi 167
25124 Brescia, Italy

Sede amministrativa e produttiva/

Via Palazzo SNC
25010 Montirone (BS), Italy

Tel. / Fax

+39 **030 2170484**
+39 **030 2170482**

apostoli.it
clienti@apostoli.it