

Residential closures



apostolidaniele


Residential closures/

Residential closures combine aesthetics and functionality using the minimum amount of space. Performance is implemented by a high thermal insulation and a high safety degree.

Customised design / unique aesthetics born from your creativity, distinctive character for those who love quality and attention to details.




Large **86** /
Medium **88** /
Small **90** /
Box **92** /
Lateral **94** /
Air **96** /
Window **98** /
Pedestrian doors **100** /




Mechanical set-up/

RSE/

The best solution for sectional doors with maximum dimensions up to width 3500 mm and height 2055 mm, equipped with traction springs that make the lifting.




The standard version of the residential mechanics is supplied with double track and traction springs placed vertically (security is guaranteed by a double handling cable and by a system with concentric springs). The required lintel is 150 mm and the shoulders 100 mm.




RSC/

The best solution for all sizes sectional doors or for doors equipped with accessorizes such as wicket pass door or structural reinforcements for doors with big dimensions.

























The standard version of the residential mechanics is supplied with superior double track and frontal torsion springs. The required lintel is 150 mm and the shoulders 100 mm. on demand we can supply solutions with posterior springs or slidings for sloped ceiling or with raised lintel 250 mm.



Large

Large sectional garage doors are characterised by an essential aesthetic that could be conformed to the most modern contexts.


specification/	opening systems/		optional/	
Application inside/outside	manual motorised		opening selector remote control motor unlock flashing photocell	
L Pillars in press-bending galvanised plate				
Covering panel In press-bending galvanised plate, filled in with polyurethane foam and RAL painted or imitation-wood				
Panel without slats				
Surface wood embossed wood effect or smooth				
RAL variation on demand				
mechanic/	finishing/			
	wood embossed/	wood effect/	smooth/	
RSC	 RAL 9010  RAL 6009  RAL 8014	 Light oak  Dark oak	 RAL 1013  RAL 9010  RAL 9006  RAL 7016  RAL 9016  Corten	
RSE	 RAL 9010  RAL 6009  RAL 8014	 Light oak  Dark oak	 RAL 1013  RAL 9010  RAL 9006  RAL 7016  RAL 9016  Corten	























Medium

Medium sectional garage doors are characterised by a simple aesthetic given by slats modularity .













specification/	opening systems/	optional/
Application inside/outside	manual motorised	opening selector remote control motor unlock flashing photocell
L Pillars in press-bending galvanised plate		
Covering panel In press-bending galvanised plate, filled in with polyurethane foam and RAL painted or imitation-wood		
Panel 25 cm slat		
Surface wood embossed wood effect or smooth		
RAL variation on demand		

mechanic/	finishing/		
	wood embosse/	wood effect/	smooth/
RSC	 RAL 9010	 RAL 6005	 RAL 8014
	 Bleached oak	 Light oak	 Dark oak
RSE	 RAL 9010	 RAL 6005	 RAL 8014
	 Bleached oak	 Light oak	 Dark oak
	 RAL 9010	 RAL 7016	 RAL 9006
	 RAL 9010	 RAL 7016	 RAL 9006

Small

Small sectional garage doors are characterised by a contemporary aesthetic thanks to the panel with 10 cm slat.

specification/	opening systems/	optional/
Application inside/outside	manual motorised	opening selector remote control motor unlock flashing photocell
L Pillars in press-bending galvanised plate		
Covering panel In press-bending galvanised plate, filled in with polyurethane foam and RAL painted or imitation-wood		
Panel 10 cm slat		
Surface wood embossed wood effect or smooth		
RAL variation on demand		


mechanic/	finishing/		
	wood embossed/	wood effect/	smooth/
RSE	 RAL 9010  RAL 9006  RAL 9002	 Light oak  Dark oak	 RAL 9006
RSC	 RAL 9010  RAL 9006  RAL 9002	 Light oak  Dark oak	 RAL 9006







Box

The sectional garage door Box lends a refined and classic image.

specification/	opening systems/	optional/
Application inside/outside	manual motorised	opening selector remote control motor unlock flashing photocell
L Pillars in press-bending galvanised plate		
Covering panel In press-bending galvanised plate, filled in with polyurethane foam and RAL painted or imitation-wood		
Panel with frame		
Surface wood embossed		
RAL variation on demand		

mechanic/	finishing/
	wood embossed
RSC	 RAL 9010
RSE	 RAL 9010

Lateral

The lateral sliding is ideal for contexts with absent or reduced lintel (H 60 mm), or for situations that require to contain the overall dimensions of the passage in width (S 40 mm / S 100 mm).

specification/

**Vertical panel
available in version**
large
medium
small

Surface
wood embossed,
wood effect or smooth

RAL variation
on demand



panel/	finishing/		
	wood embossed/	wood effect/	smooth/
Large	<div> RAL 9010</div> <div> RAL 6009</div> <div> RAL 8014</div>	<div> Light oak</div> <div> Dark oak</div>	<div> RAL 1013</div> <div> RAL 9010</div> <div> RAL 9006</div> <div> RAL 7016</div> <div> RAL 9016</div> <div> Corten</div>
Medium	<div> RAL 9010</div> <div> RAL 6005</div> <div> RAL 8014</div>	<div> Bleached oak</div> <div> Light oak</div> <div> Dark oak</div>	<div> RAL 9010</div> <div> RAL 7016</div> <div> RAL 9006</div>
Small	<div> RAL 9010</div> <div> RAL 9006</div> <div> RAL 9002</div>	<div> Light oak</div> <div> Dark oak</div>	<div> RAL 9006</div>






Air

Air sectional door maintains a perfect space ventilation, as well as an effect strongly characterizing.

specification/	opening systems/	optional/
Application inside/outside	manual motorised	opening selector remote control motor unlock flashing photocell
L Pillars in press-bending galvanised plate		
Covering composed by aluminium frame with filling in micro-perforated galvanised plate		
Frame in reinforced aluminium, with panels in perforated steel		
Use suitable for garages and apartment buildings		
Possibility of: <ul style="list-style-type: none"> · integrated wicket pass door or external lateral pedestrian door · intensive use motorisation · traffic light for exits management · advanced security systems 		
finishing/		
frame  anodized aluminum	filling  RAL 9006	







Window

The sectional window door stands out for its clean and modern design conferred by wide glass windows.

specification/	opening systems/	optional/
Application inside/outside	manual motorised	opening selector remote control motor unlock flashing photocell
L Pillars in press-bending galvanised plate		
Covering composed by glazed aluminium frame or RAL painted with windows		
Frame in reinforced aluminium, with steel panels		
Possibility of: <ul style="list-style-type: none"> · integrated wicket pass door or external lateral pedestrian door · intensive use motorisation · traffic light for exits management · advanced security systems 		

finishing/

frame	f illing
 anodized aluminum	 RAL 9006

Pedestrian doors/


Integrated/

Integrated pedestrian door obtained within the sectional door. Ideal for contexts in which pedestrian passages are needed.



/Available in sizes L 800 mm and L 1200 mm complete with door closer, handle or panic bar and standard lock or three-point locking mechanism. Possibility of lowered walkable threshold to facilitate the passage of vehicles on wheels.



Traditional threshold



Lowered threshold




With frame Without frame




Lateral/

Lateral pedestrian door made to measure with the same panel of the sectional door, complete with door closer, supporting structure in aluminium profiles and sealing gaskets along the whole perimeter.

/The door with double leaved is available on request, whereas the structure can be ordered with or without frame.



Follow us on
apostoli.it



apostolidaniele

Registered office/

Viale Duca degli Abruzzi 167
25124 Brescia, Italy

Operational headquarter/

Via Palazzo SNC
25010 Montirone (BS), Italy

Tel. / Fax

+39 **030 2170484**
+39 **030 2170482**

apostoli.it
clienti@apostoli.it